

# *NWSC Facility Successes & Lessons Learned*



Aaron Andersen  
iCAS 2015

# NWSC Recognition

- **National and International Recognition**
  - Uptime Institute Facility Design Innovation
  - US Green Building Council LEED Gold
  - DataCenter Dynamics Green Data Center of the Year
  - ASHRAE Regional Winner, National Honorable Mention
- **Invited Talks**
  - 24x7 Exchange
  - Supercomputing Conference
  - International Supercomputing Conference
  - Uptime Symposium
- **Corporate and Collaborative Visitors**
  - Microsoft, Intel, Verizon, HP, JP Morgan
  - ECMWF, ORNL, LBNL, LLNL, NREL,
  - KISTI, DKRZ, LRZ, DWD, Australia BoM, PNNL




# NWSC is Highly Efficient

PUE

August 2014 – September 2015


Energy Recovery Heat Pumps



Facility Events

Yellowstone Maintenance

# Yellowstone is Well Utilized



# Facility has been Very Reliable


Year	Number of Events	Facility Uptime
2013	4 Events	99.63%
2014	3 Events	99.73%
2015	3 Events *	99.73%

\* Only one event affected the entire facility all measured events did affect Yellowstone


# Internal Lessons Learned

Issues That We Have Some Control Over

# Electrical Consumption Condensing Water Pump vs. Time



# Pipe Geometry Issues & Air Infiltration



# Air Infiltration

- **Design is focused on very low pressure drop and minimizing both drag and pump energy**
- **Green Filtration System**
- **Problem - too much of a good thing**
  - Air bubbles absorbed easily in cooling towers
  - Minimal height difference between tower and pump
  - Filter system requires service roughly 4~7 days
- **Solution**
  - Refill & bleed process when cleaning filters


# Fire Alarm System

- **Required to have two fire alarm tests per year**
- **Must exercise the alarm system proving that it is working correctly**
- **Problem – Emergency Power Off**
  - Test Sequence
  - Method of Procedure
  - Infrequency of testing
- **Solution**
  - Added Two Person MOP Walkthrough
  - Added a physical “keyed” EPO bypass switch

# External Lessons Learned

Issues That We Wave Little Control Over

# Invasions of the Animal Kind



# Why This is Significant



# Facilities Can Have Bugs Just Like Software

## Miller Moth (Army Cutworms) & Strainer



# Impacts from Weather



# There is a Little Wind at Times



# Three Victims



# Questions ?

